

## LED Lights

Energy efficient creative lighting solutions for outdoor living. Our new generation LED lighting is extremely versatile and can be used to provide many new and innovative solutions for garden and landscape lighting.

We have a wide range of LED lights to suit all your garden and landscape lighting needs.

Applications include:

- Water Features
- Paths/Decks/Stairs
- Trees & Plants
- Pool Landscapes
- BBQs & Tables
- Artwork
- Day Beds

Suppliers

ACE Lighting

Artcraft Superlux

Dux Lighting

Elettra

Hermosa Lighting

Lode International

Lummax

V & M Imports

Bollard lights are ideal as driveway markers and for lighting pathways, decking and garden areas.

Bollard lights have a stainless steel stem and spike for mounting

### BOLLARD LIGHTS

Dimensions:

Head Length: 65mm

Stem Length: 250mm

Spike Length: 190mm

Stem Diameter: 25mm

Lead Length: 400mm

Electrical Specifications:

Voltage: 12V DC

Current: 20-22 mA

Power: 0.24W &ndash; 0.26W (at 12VDC)

Features:

10,000 &ndash; 50,000 hour

lifetime (10-15 years).  
Fully sealed & waterproof to IP68.

Light Colours:

- White
- Warm White
- Amber
- Green
- Red
- Blue

Optional Lead Lengths:

- 1 metre
- 2 metre

Variations:

- Stem only
- 150mm Stem Length

COPPER VERSION Now Available

Barrel Lights are ideal for water features, ponds, pools, and for feature lighting of trees and artwork. Barrel Lights come in gold and black casings in 3W or 5W LED versions

BARREL LIGHTS Dimensions:

- Length: 80mm
- Diameter: 55mm
- Bracket Height: 60mm
- Spike Length: 190mm
- Lead Length: 2.0 metres

Electrical Specifications:

- Barrel 3W
- Voltage: 8-28V AC or DC
- Current: 350-400 mA
- Power: 4.2W &ndash; 4.8W (at 12VDC)

Barrel 5W

- Voltage: 8-28V AC or DC
- Current: 560-610 mA
- Power: 6.7W &ndash; 7.3W (at 12VDC)

Light Colours:

- White
- Warm White
- Amber
- Cyan
- Blue

Casing Colours:

- Black, Gold or Silver
- (Anodised Alloy)

Lenses:

Narrow  
Medium  
Elliptical  
Wide

Features:

50,000 &ndash; 100,000 hour  
lifetime (15-22 years).  
Submersible to 2 metres.

Accessories:

Spike  
Glare Guard  
Security Cage  
Wall Mount (round)  
Wall Mount (square)

Button Lights can be recessed  
to provide lighting for water  
features, ponds, pathways  
and artwork.

Button Lights come in a clear acrylic  
casing with an optional mounting cup.

Button lights will fit into a 25mm conduit.

BUTTON LIGHTSDimensions:

Length: 15mm  
Diameter: 20mm  
Lead Length: 1 metre

Electrical Specifications:

Voltage: 12V DC  
Current: 20-22 mA  
Power: 0.24W &ndash; 0.26W (at 12VDC)

Features:

10,000 &ndash; 50,000 hour  
lifetime (10-15 years).  
Fully sealed & waterproof to IP68.

Light Colours:

White  
Warm White  
Amber  
Green  
Red  
Blue

Optional Lead Lengths:

2 metres  
5 metres

Accessories

Mounting Cup (25mm OD)  
Flush Mount fitting

Half Eyelid lights are ideal for lighting stairs, decks, pillars, house numbers and pathways.

Half Eyelid lights have either a copper dome or a stainless steel dome

#### HALF EYELID LIGHTS

Electrical Specifications:

Voltage: 12V DC

Current: 40-44 mA

Power: 0.48W &ndash; 0.52W (at 12VDC)

Dimensions:

Diameter: 100mm

Dome Diameter: 48mm

Depth: 30mm

Lead Length: 1 metre

Features:

10,000 &ndash; 50,000 hour lifetime (10-15 years).

Fully sealed & waterproof to IP68.

Light Colours:

White

Warm White

Amber

Green

Red

Blue

Dome Types:

Copper

316 Stainless Steel

Brass

Paver Lights can be recessed into driveways and pathways to provide marker lighting for cars and pedestrians.

Paver Lights come in a 4.5mm ABS casing with a toughened glass top.

#### PAVER LIGHTS

Dimensions:

Length: 100mm

Width: 100mm

Depth: 85 mm

Lead Length: 1 metre

Electrical Specifications:

Voltage: 12V DC

Current: 40-44 mA

Power: 0.48W &ndash; 0.52W (at 12VDC)

Features:

10,000 &ndash; 50,000 hour  
lifetime (10-15 years).

Fully sealed & waterproof to IP68.

Light Colours:

White

Warm White

Amber

Green

Red

Blue

Optional Lead Lengths:

2 metres

5 metres

Button with Stem & Spike  
lights are ideal for highlighting  
small plants and shrubs,  
pathways and artwork. Button with Stem & Spike lights have a  
flexible stem and a plastic spike for  
mounting.

**BUTTON with STEM & SPIKE**

Electrical Specifications:

Voltage: 12 DC

Current: 20-22 mA

Power: 0.24W &ndash; 0.26W (at 12VDC)

Dimensions:

Stem Length: 220mm

Spike Length: 150mm

Button Diameter: 25mm

Lead Length: 1 metre

Features:

10,000 &ndash; 50,000 hour  
lifetime (10-15 years).

Fully sealed & waterproof to IP68.

Light Colours:

White

Warm White

Amber

Green

Red

Blue

Optional Lead Lengths:

2 metres

5 metres

Variations:

Stem only

440mm Stem Length

Recessed Down Lights are ideal for carports, awnings, cabanas, pavilions, pergolas, arbours, verandas and eaves. Recessed Down Lights come in silver and black casings.

## RECESSED DOWN LIGHTS

Dimensions:

Length: 95mm

Diameter: 100mm

Electrical Specifications:

Voltage: 8-28V AC or DC

Current: 560-610 mA

Power: 6.2W &ndash; 7.3W (at 12VDC)

Features:

50,000 &ndash; 100,000 hour lifetime (15-22 years).

Waterproof

Light Colours:

White

Warm White

Amber

Cyan

Blue

Casing Colours:

Black or Silver (Anodised Alloy)

Lenses:

Narrow

Medium

Elliptical

Wide